

Public Notice
General Electric Appliance Park
Louisville, Jefferson County, Kentucky 40225
Tentative Decision to Approve Corrective Measures
Study/Final Remedy
EPA ID #KYD006387021
AI #2050

The Kentucky Environmental and Public Protection Cabinet (The Cabinet), Division of Waste Management (KDWM), has tentatively decided to approve the Corrective Measures Study (CMS)/Final Remedy for General Electric Appliance Park. The CMS includes the selected remedies for environmental remediation and management of the property. The site contact is Kim Freeman, who may be reached at (502) 452-7819.

Why does General Electric need to perform corrective measures?

The purpose of the CMS is to provide comparisons of various means of remediating or managing environmental contamination to be protective of human health and the environment. General Electric has managed hazardous materials at the site as part of its manufacturing processes. Wastes present at the site that need to be remediated or managed include soil contaminated with Polychlorinated Biphenyls (PCBs), Polycyclic Aromatic Hydrocarbons (PAHs), and other contaminants. Groundwater impacts include PCBs and solvents associated with painting and cleaning metal. The CMS proposes a combination of remedial measures including excavation and proper disposal of contaminated soil, groundwater treatment, and management in place. Use of the property will be restricted in accordance with an environmental covenant. The environmental covenant will remain in place in perpetuity.

How can I tell the Division what I think about this tentative decision?

The Cabinet encourages public involvement and welcomes comments. Anyone wishing to comment on this tentative decision should submit comments to the Cabinet on or before February 15, 2010, the close of the public comment period. Electronic comments should be submitted to Kelly Neal at kelly.neal@ky.gov or mailed to: April Webb, P.E., Branch Manager, Hazardous Waste Branch, Division of Waste Management, 200 Fair Oaks Lane, Frankfort, KY 40601, (502) 564-6716.

Where can I review the documents used to make this tentative decision?

Louisville Free Public Library	Division of Waste Management
Main Branch	200 Fair Oaks Lane
301 York Street	Frankfort, KY 40601
Louisville KY 40203	Point of Contact: Tina Fisher
Point of Contact: Seth Cohen	Phone: (502) 564-6716 Fax (502) 564-9232
Phone: (502)574-1611	Email: tina.fisher@ky.gov
Hours of Operation:	Hours of Operation:
Monday-Thursday 9:00 a.m.- 9:00 p.m.	Monday-Friday 8:00 a.m.-4:30 p.m.
Friday-Saturday 9:00 a.m.-5:00 p.m.	
Sunday Closed	

Louisville Free Public Library
Bon Air Branch
2816 Del Rio Place
Louisville KY 40220
Point of Contact: Laura Kelleher
Phone: (502) 574-1795
Hours of Operation:
Monday-Thursday 9:00 a.m.-9:00 p.m.
Friday-Saturday 9:00 a.m.-5:00 p.m.
Sunday Closed

What will the Division do with the comments they receive?

The Cabinet will consider all comments, received by the close of the public comment period on February 15, 2010 in making a final decision. Anyone submitting comments will be mailed a “response to public comments” document specifying any changes made or not made (with the reasons why) as a result of the comment(s) submitted. To request a hearing, comments should be submitted to the Cabinet on or by midnight of February 15, 2010, the close of the public comment period.

The Division provides, on request, reasonable accommodations necessary to afford an individual with a disability an equal opportunity to participate in all services, programs and activities. To request alternative formats for printed information, and/or to be placed on the Hazardous Waste Branch’s mailing list to receive relevant updates on this matter, contact Kelly Neal at (502) 564-6716 ext. 4684.

The Kentucky Division of Waste Management does not discriminate on the basis of race, color, national origin, sex, religion, age, sexual orientation, gender identity, ancestry, veteran status or disability.